ABEOCIATION CONNECTING ELECTRONICS INDUSTRIES® INDUSTRIES®	kburn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a decla	ration of the neuron of the ne	he substances asses all low	within the materi	anufacturer l als for whicl	isted item. h the manu	Note: if t facturer h	he item is an as as engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials a					and Mfg Information				
Supplier Information														
ompany name* Company unique ID				Unique ID Authority					R	Response Date*				
onsemi	semi				2023-06-08									
Contact Name	Title - Contact				Phone - Contact*				E	Email - Contact*				
Product-Env-Stewards Product Enviro Compliance					NA				P	Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative]	Phone - Representative*				E	Email - Representative*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				P	Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr I	Afr Item Number Mfr Item		em Name		Effective D	ate Vers	sion	Manufacturing Site		Weig	ght*	UOM	Unit Type	
FUSI	SB340TMX USB-C 2:1 Swite		h		2023-06-08			TH2		6.53	58	mg	Each	
Manufacturing Proccess Information												ł	I	
Terminal Plating / Grid Array Material	Terminal Base	Terminal Base Alloy		L Rating	Peak P	A Process Body Temperature Max Time at Pe		e at Peak Tei	Temperature Number of F		of Reflow Cyc	les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			1		260		С	30		seconds	.ds 3			
Comments					· · · · · · · · · · · · · · · · · · ·		·							
evel 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds												
or more information regarding material compositi	on please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	terial Weight Unit of Measure Level Substance		Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.1989	mg	Supplier	Silicon (Si)	7440-21-3		0.1989	mg	
Die Attach	0.0201	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0155	mg	
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0046	mg	
Lead Frame	2.4259	mg	Supplier	Manganese (Mn)	7439-96-5		0.0044	mg	
			Supplier	Silicon (Si)	7440-21-3		0.0181	mg	
			Supplier	Copper (Cu)	7440-50-8		2.4034	mg	
Mold Compound-Black	3.6836	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.2026	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0074	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		2.9579	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.5157	mg	
Plating	0.115	mg	Supplier	Silver (Ag)	7440-22-4		0.0005	mg	
			Supplier	Palladium (Pd)	7440-05-3		0.0012	mg	
			В	Nickel (Ni)	7440-02-0		0.1126	mg	
			Supplier	Gold (Au)	7440-57-5		0.0007	mg	
Wire Bond - Au	0.0933	mg	Supplier	Gold (Au)	7440-57-5		0.0933	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).