PC SECULATION CONNECTING COpyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.						This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
	P1.1 IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distrib				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and 					als and M	and Mfg Information			
Supplier Information														
Company name* Com			Company unique ID			Unique ID Authority					Response Date*			
onsemi									2023-06-08					
Contact Name	tet Name Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Enviro			ro Compliance		NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representat			entative		Phone - Representative*			Email - Representative*						
Product-Env-Stewards Product			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	NCV7351D1ER2G HS CAN Tra		HS CAN Transc.	c. (EN pin)		2023-06-08		BI	BE4		81.78	mg	Each	
Manufacturing Proccess Informatio	n													
Terminal Plating / Grid Array Mater	Array Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	Peak Proc	ess Body Ten	nperature	Max Time at Peak	Tempera	ture Numb	er of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy		2	2		260	(С	30	secor	nds 3				
Comments														
ATTENTION: MSL 2 Rated item requires D	ry Pack (a	fter electrical	test)											
or more information regarding material cor	nposition j	olease refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat anditions of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead ed Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl DIBP). mented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall propriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, n in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. and that Supplier may not have independently verified such information. However, in situations where Supplier has not ided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the dentified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of ues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the apply.								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	3.89	mg	Supplier	Silicon (Si)	7440-21-3		3.89	mg	
Die Attach	1.25	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.2875	mg	
			Supplier	Silver (Ag)	7440-22-4		0.9625	mg	
Lead Frame	29.12	mg	Supplier	Zinc (Zn)	7440-66-6		0.0291	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6698	mg	
			Supplier	Copper (Cu)	7440-50-8		28.392	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0291	mg	
Mold Compound-Black	46.29	mg		Epoxy resin	proprietary data		2.3145	mg	
			Supplier	Phenolic Resin	Proprietary Data		2.3145	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.9258	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2315	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		40.5037	mg	
Plating	0.96	mg	Supplier	Tin (Sn)	7440-31-5		0.96	mg	
Wire Bond - Au	0.27	mg	Supplier	Gold (Au)	7440-57-5		0.27	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).