ASSOCIATION CONNE	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						Mfg Ir	ıformatio	n	
Supplier Info	ormation														
Company name*			Company unique ID			τ	Unique ID Authority					Response Date*			
onsemi											2023-	2023-06-08			
Contact Name		Title - Contact			I	Phone - Contact*				Emai	Email - Contact*				
Product-Env-St	ewards	Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com				
Authorized Repr	resentative*	Title - Representative			I	Phone - Representative*				Emai	Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com			
Requ	ester Item Number			m Number Mfr Item Name			Effective Date	e Version	n N	Manufacturing Site		Weight* UOM 24.32 mg		UOM	Unit Type
				8-bit Bus Switch	tch		2023-06-08 TH2		H2		mg			Each	
Ianufacturi	ng Proccess Informa	ation						,						1	•
Termi	nal Plating / Grid Array M	Plating / Grid Array Material		Terminal Base Alloy		SL Rating	Peak Pro	Peak Process Body Temperature M		Max Time a	t Peak Tempe	rature	Number	r of Reflow Cyc	cles
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 1		1		260		С	30	sec	conds	3		
Comments								<u> </u>		<u> </u>			_	<u> </u>	
vel 1 - maximu	m time at peak tempera	ture during so	oldering is 10-3	30 seconds											
or more inform	nation regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.438	mg	Supplier	Silicon (Si)	7440-21-3		0.438	mg
Die Attach	0.06	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.0036	mg
			Supplier	Silver (Ag)	7440-22-4		0.0489	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.0036	mg
			Supplier	Misc.	Proprietary Data		0.0003	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.0036	mg
Lead Frame	5.697	mg	Supplier	Tin (Sn)	7440-31-5		0.017	mg
			Supplier	Zinc (Zn)	7440-66-6		0.006	mg
			Supplier	Chromium (Cr)	7440-47-3		0.014	mg
			Supplier	Copper (Cu)	7440-50-8		5.66	mg
Mold Compound-Black	17.57	mg	Supplier	Carbon Black (C)	1333-86-4		0.0878	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		15.4616	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		1.142	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.8785	mg
Plating	0.158	mg	Supplier	Palladium (Pd)	7440-05-3		0.013	mg
			В	Nickel (Ni)	7440-02-0		0.137	mg
			Supplier	Gold (Au)	7440-57-5		0.008	mg
Wire Bond - Au	0.397	mg	Supplier	Gold (Au)	7440-57-5		0.397	mg