© Co	terial Composit opyright 2005. IPC, I national and Pan-Arr	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	uration of on encom	f the substance npasses all low	es within ver level	the manufactu materials for w	rer listed it which the m	em. Not anufact	te: if the urer has	item is an ass engineering re	embly with lowe esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information					
Supplier Information	L																
Company name*			Company unique ID			Unique ID Authority					Respons	Response Date*					
onsemi												2023-06	2023-06-08				
Contact Name			Title - Contact]	Phone - Contact*					Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*							
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester Item	quester Item Number Mfr Item Number NC7SVL08L6X		Number Mfr Item Name				Effective D	Effective Date Version Manufacturing Site		7	Weight*		UOM	Unit Type			
			08L6X	Low-ICCT 2-Input AND Gate			2023-06-08 TH2			1.666			mg	Each			
Manufacturing Proce	ess Information	l						H									
Terminal Plating	Terminal Plating / Grid Array Material		erminal Base Alloy J-S		J-STD-020 MS	0 MSL Rating		Peak Process Body Temperat		ture Max Time at Peak Ter		Temperat	emperature Number of Reflor		Reflow Cycl	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)) (no C	CU Alloy 1		1		260		C	30	30 seco		conds 3				
Comments										<u> </u>							
evel 1 - maximum time at	peak temperature d	uring sol	dering is 10-3	0 seconds													
or more information rega	rding material com	position p	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material Weight Unit of		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.121	mg	Supplier	Silicon (Si)	7440-21-3		0.121	mg
Die Attach	0.015	mg	Supplier	Phenolic Resin-2	54208-63-8		0.005	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.01	mg
Mold Compound-Black	0.927	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.139	mg
			Supplier	Carbon Black (C)	1333-86-4		0.005	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.76	mg
			Supplier	Magnesium Hydroxide (Mg(OH)2)	1309-42-8		0.023	mg
Plating	0.025	mg	В	Nickel (Ni)	7440-02-0		0.006	mg
			Supplier	Gold (Au)	7440-57-5		0.019	mg
Substrate	0.547	mg	Supplier	Bismaleimide	13676-54-5		0.234	mg
			Supplier	Cyanic acid (1-methylethylidene)di-4,1- phenylene ester homopolymer	25722-66-1		0.175	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.014	mg
			В	Nickel (Ni)	7440-02-0		0.014	mg
			Supplier	Gold (Au)	7440-57-5		0.003	mg
			Supplier	Copper (Cu)	7440-50-8		0.107	mg
Wire Bond - Au	0.031	mg	Supplier	Gold (Au)	7440-57-5		0.031	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).