ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Par	PC, Bannockl	burn, Illinois. A	ll rights reserved un tions.	nder both	This docum level parts, t	ent is a declar the declaratio	ation of the an encompass	substances es all lowe	within the mar r level material	nufacturer lister ls for which the	d item. N e manufa	Note: if the acturer has	e item is an ass s engineering r	embly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name* Co			Company unique ID			Unique ID Authority					Response Date*				
onsemi										2023-	2023-06-08				
Contact Name Title - Contact			et	Phone -			one - Contact*				Email - Contact*				
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title -			le - Representative			Phone - Representative*				Emai	Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Da	ate Version	n]	Manufacturing Site		Weigh	ht*	UOM	Unit Type	
	NCP176	CP176AMX330TCG LDO 3.3V Act		/e Discharge		2023-06-08		,	ТНВ		1.81		mg	Each	
Manufacturing Proccess Informa	ion														
Terminal Plating / Grid Array Ma	terial	Terminal Base Alloy		STD-020 MSL Rating		Peak Process Body Ten		Temperatu	erature Max Time at Peak T		Semperature Number of Reflow Cycles		es		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	Alloy 1			260		C	30		conds 3				
Comments															
evel 1 - maximum time at peak temperatu	re during so	ldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). ial (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall s that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, upplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive.											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.09	mg	Supplier	Silicon (Si)	7440-21-3		0.09	mg	
Die Attach	0.04	mg	Supplier	Silver (Ag)	7440-22-4		0.03	mg	
			Supplier	Epoxy resins	129915-35-1		0.01	mg	
Lead Frame	0.78	mg	Supplier	Tin (Sn)	7440-31-5		0.0019	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0017	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0019	mg	
			Supplier	Copper (Cu)	7440-50-8		0.7744	mg	
Mold Compound-Black	0.87	mg		Epoxy Phenol Resin	proprietary data		0.0913	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.7786	mg	
Plating	0.01	mg	Supplier	Palladium (Pd)	7440-05-3		0.0005	mg	
			В	Nickel (Ni)	7440-02-0		0.009	mg	
			Supplier	Gold (Au)	7440-57-5		0.0005	mg	
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).