ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and Par	PC. Bannockl	burn, Illinois, A	Il rights reserved untions.	under both	This docum level parts, t	ent is a declaration entities the declaration entities and the declaration entities and the declaration entities and the declaration entities are an entities and the declaration entities are an entities and the declaration entities are an entite are an entities are an entities are an entite are	on of the su compasses	bstances v all lower	vithin the manufactu level materials for v	rer listed in the rest of the	item. Note: nanufacture	if the item is an as er has engineering	sembly with low responsibility.	
52-21.1 IPC Web Site for Information on IPC-1752 Standard Form Type Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information										
upplier Information														
Company name* Company unique			que ID Un		Unique ID Authority				Respon	Response Date*				
nsemi											2023-06-07			
ontact Name Title - Contact					Phone - Contact*					Email - Contact*				
Product-Env-Stewards Product Enviro C			o Compliance		NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			ntative		Phone - Representative*			Email - Representative*						
Product-Env-Stewards Produ			oduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Iten	Mfr Item Number Mfr		Mfr Item Name		Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	NLAS47	717EPFCT1G SPDT ANALOG SWITCH			2023-06-07		М	MYD		3.232	mg	Each		
Ianufacturing Proccess Information	tion		·				·							
Terminal Plating / Grid Array Material Terminal Base Alloy J-		J-STD-020 MS	L Rating	Peak Proce	ss Body Te	emperature	e Max Time at Peak	c Tempera	ture Num	ber of Reflow Cyc	eles			
SnAgCu CU Alloy			1		260		С	30	secoi	nds 3				
omments														
vel 1 - maximum time at peak temperatu	ire during so	ldering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	oHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead b), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select	t the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D]	
	licable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3	
sigma range of distribution unless	is otherwise noted).	

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.185	mg	Supplier	Silicon (Si)	7440-21-3		2.185	mg
Solder Ball	1.047	mg	Supplier	Silver (Ag)	7440-22-4		0.0314	mg
			Supplier	Tin (Sn)	7440-31-5		1.0104	mg
			Supplier	Copper (Cu)	7440-50-8		0.0052	mg