ASSOCIATION CONNECTING ELECTROMICS INDUSTRIES® international and	position De . IPC, Bannockt Pan-American co	claration ourn, Illinois. A opyright conve	All rights reserved untions.	under both	This docume level parts, th	ent is a declaration he declaration en	n of the substanc compasses all lov	es within the manu wer level materials	afacturer liste for which the	d item. Note: if e manufacturer	the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty			Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				Materials and	als and Mfg Information			
upplier Information													
ompany name*	Company un	Company unique ID			Unique ID Authority				Response Date*				
onsemi										2023-06-08			
Contact Name Title - Contact			ct	Ph			Phone - Contact*			Email - Contact*			
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title			Title - Representative			Phone - Representative*			Emai	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number			nber Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FNA250	NA25060 IPM SPM34 60		0V 50A		2023-06-08		СРА		49614.715	mg	Each	
Ianufacturing Proccess Inform	nation									-		·	
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature Max Time		ture Max Time a	t Peak Tempe	rature Numbe	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed		U Alloy NA			0 C		30	sec	onds 3				
omments													
or more information regarding mater	al composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	6642.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		2656.8	mg
			Supplier	Copper (Cu)	7440-50-8		3985.2002	mg
Die	104.6	mg	Supplier	Silicon (Si)	7440-21-3		104.6	mg
Die Attach	195.0	mg	Supplier	Silver (Ag)	7440-22-4		5.85	mg
			Supplier	Tin (Sn)	7440-31-5		188.175	mg
			Supplier	Copper (Cu)	7440-50-8		0.975	mg
Die Attach Epoxy	1.85	mg	Supplier	Silver (Ag)	7440-22-4		1.702	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.148	mg
Die Attach Solder	1.7	mg	Supplier	Silver (Ag)	7440-22-4		0.0425	mg
			А	Lead (Pb)	7439-92-1	7a	1.5725	mg
			Supplier	Tin (Sn)	7440-31-5		0.085	mg
Lead Frame	11022.5	mg	Supplier	Iron (Fe)	7439-89-6		16.5338	mg
			Supplier	Copper (Cu)	7440-50-8		11000.4551	mg
			Supplier	Phosphorus (P)	7723-14-0		5.5103	mg
Mold Compound-Black	31430.0	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1571.5	mg
			Supplier	Carbon Black (C)	1333-86-4		314.3	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		27972.6992	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		1571.5	mg
Plating	106.6	mg	Supplier	Tin (Sn)	7440-31-5		106.6	mg
Thermistor	10.0	mg	Supplier	Silver (Ag)	7440-22-4		0.8	mg
			Supplier	Tin (Sn)	7440-31-5		0.17	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		2.6	mg
			Supplier	Palladium (Pd)	7440-05-3		0.35	mg
			В	Nickel (Ni)	7440-02-0		0.08	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		1.7	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		4.3	mg
Wire Bond - Al	100.0	mg	Supplier	Aluminum (Al)	7429-90-5		100	mg
Wire Bond - Cu	0.463	mg	Supplier	Palladium (Pd)	7440-05-3		0.0093	mg
			Supplier	Copper (Cu)	7440-50-8		0.4537	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).