Authorized Representative* Title - Representative Phone - Representative* Email - Representative*	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.					
Company name* Company unique ID Unique ID Authority Response Date* 2023-06-08 Contact Name Product Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onse Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* Unique ID Authority Response Date* 2023-06-08 Email - Contact* Product-Env-Stewards@onse NA Product-Env-Stewards@onse Version Manufacturing Site Weight* UOM PSA3357K8X SP3T Analog Switch 2023-06-08 TH2 9.554 mg						
2023-06-08 202						
Title - Contact Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards NA Product-Env-Stewards@onse NA Product-Env-Stewards@onse NA Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards NA Product-Env-Stewards@onse NA Product-Env-Stewards@onse NA Product-Env-Stewards@onse Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM FSA3357K8X SP3T Analog Switch 2023-06-08 TH2 9.554 mg	Response Date*					
Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-Steward	2023-06-08					
Authorized Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name FSA3357K8X PSA357K8X Product Enviro Compliance NA Product-Env-Stewards@onse Effective Date Version Manufacturing Site Weight* UOM 2023-06-08 TH2 9.554 mg	Email - Contact*					
Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onset	Product-Env-Stewards@onsemi.com					
Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM FSA3357K8X SP3T Analog Switch 2023-06-08 TH2 9.554 mg	Email - Representative*					
FSA3357K8X SP3T Analog Switch 2023-06-08 TH2 9.554 mg	Product-Env-Stewards@onsemi.com					
	M Unit Type					
Janufacturing Proccess Information	Each					
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflo	ow Cyalas					
Matte Tin (Sn) - annealed CU Alloy 1 CU Alloy 30	ow Cycles					
omments vel 1 - maximum time at peak temperature during soldering is 10-30 seconds						
vei 1 - maximum time at peak temperature during soldering is 10-30 seconds or more information regarding material composition please refer to page 3						

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.16	mg	Supplier	Silicon (Si)	7440-21-3		0.16	mg
Die Attach Epoxy	0.14	mg	Supplier	Silver (Ag)	7440-22-4		0.1288	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0112	mg
Lead Frame	4.286	mg	Supplier	Silver (Ag)	7440-22-4		0.265	mg
			Supplier	Zinc (Zn)	7440-66-6		0.008	mg
			Supplier	Iron (Fe)	7439-89-6		0.097	mg
			Supplier	Copper (Cu)	7440-50-8		3.91	mg
			Supplier	Phosphorus (P)	7723-14-0		0.006	mg
Mold Compound-Black	4.768	mg		Epoxy resin	proprietary data		0.2384	mg
			Supplier	Phenolic Resin	Proprietary Data		0.0954	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1192	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0238	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.2912	mg
Plating	0.15	mg	Supplier	Tin (Sn)	7440-31-5		0.15	mg
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg